





# NARMS - EB 1998

## Veterinary Isolates

**Fig. 3. Minimum Inhibitory Concentrations by Antimicrobial Agent for All Salmonella Isolates from All Cattle**



↓ Breakpoint



Slaughter n=284




Diagnostic n=181

# NARMS - EB 1998

## Veterinary Isolates

**Fig. 3. Minimum Inhibitory Concentrations by Antimicrobial Agent for All Salmonella Isolates from All Cattle**



↓ Breakpoint

■ Slaughter n=284


■ Diagnostic n=181

“Diagnostic isolates only include isolates obtained from National Veterinary Services Laboratories.”

# NARMS - EB 1998

## Veterinary Isolates

**Fig. 3. Minimum Inhibitory Concentrations by Antimicrobial Agent for All Salmonella Isolates from All Cattle**



↓ Breakpoint



Slaughter n=284




Diagnostic n=181

# NARMS - EB 1998

## Veterinary Isolates

**Fig. 3. Minimum Inhibitory Concentrations by Antimicrobial Agent for All Salmonella Isolates from All Cattle**



↓ Breakpoint



Slaughter n=284




Diagnostic n=181

# NARMS - EB 1998

## Veterinary Isolates

**Fig. 3. Minimum Inhibitory Concentrations by Antimicrobial Agent for All Salmonella Isolates from All Cattle**



↓ Breakpoint

■ Slaughter n=284    ■ Diagnostic n=181

“Diagnostic isolates only include isolates obtained from National Veterinary Services Laboratories.”